Index

Volume 3 Subject Index 1994

β-Ti

Effect of Heat Treatment on the Microstructure of a Metastable β-Titanium Alloy 3,4; 560-566

δ Precipitation

Damage Tolerance of Wrought Alloy 718 Ni-Fe-Base Superalloy 3,3; 356-366

12CrMoV Steel

Strengthening of a 12CrMoV Turbine Blade Steel by Retempering 3,3; 350-355

A356 Castings

Impact Properties of A356-T6 Alloys 3,1; 83-90

Abrasive-Contaminated Lubricant

Wear Resistance of Ductile Irons 3,3; 403-408

Abrasive Wear

Effect of Nitrogen Alloying on the Microstructure and Abrasive Wear of Stainless Steels 3,2; 259-272

Accelerated Cooling

Reheat Response and Accelerated Cooling of a Microalloyed Steel with an Air/Water Atomizer: Effect on Microstructure and Mechanical Properties 3,2; 234-247

Accelerated Leaching

In Vitro Electrochemical Investigations of Advanced Stainless Steels for Applications as Orthopaedic Implants 3,6; 744-753

Additional Alloying

Reclamation and Additional Alloying of 18Ni(350) Maraging Steel 3,3; 386-392

Al-Cu-Mg-Mn Alloy Sheet

Forming Characteristics of Coarse and Fine-Grained AA 2024 Aluminum Alloy Sheet 3,1; 115-121

Al-Si-Mg Alloys

Impact Properties of A356-T6 Alloys 3,1; 83-90

Alloy 718

Damage Tolerance of Wrought Alloy 718 Ni-Fe-Base Superalloy 3,3; 356-366

Alloying and Inoculation

Wear Resistance of Ductile Irons 3,3; 403-408

Aluminum Alloy 2024

Comparison of Corrosion-Fatigue Properties of Precorroded 6013 Bare and 2024 Bare Aluminum Alloy Sheet Materials 3,3; 371-377

Aluminum Alloy 2090

The Effect of the Rolling Mode on the Recrystallization Behavior of 2090 Al-Li Alloy 3,2; 292-299

Aluminum Alloy 6013

Comparison of Corrosion-Fatigue Properties of Precorroded 6013 Bare and 2024 Bare Aluminum Alloy Sheet Materials 3,3; 371-377

Aluminum Alloys

Accumulation of Microstructural Damage Due to Fatigue of High-Strength Aluminum Alloys 3,1; 47-54

Comparison of Corrosion-Fatigue Properties of Precorroded 6013 Bare and 2024 Bare Aluminum Alloy Sheet Materials 3,3; 371-377

Aluminum Concentration

Glass Film Structure of Grain-Oriented Silicon Steel Using Aluminum Nitride as an Inhibitor 3,2; 214-217

Aluminum-Lithium Alloys

Influence of Post-Superplastic Forming Practices on the Tensile Properties of Aluminum-Lithium Alloys 3,3; 334-343

Aluminum Nitride

Glass Film Structure of Grain-Oriented Silicon Steel Using Aluminum Nitride as an Inhibitor 3,2; 214-217

Amorphous Coating

Application of Amorphous Brush-Plated Coatings to Hot Work Dies 3,1; 145-150

Analysis

Failure Analysis of Beta-C Titanium Alloy High-Pressure Vessels 3,1; 105-109

Anisotropy

The Effect of the Rolling Mode on the Recrystallization Behavior of 2090 Al-Li Alloy 3,2; 292-299

Anodic Polarization

Mechanism of Improved Corrosion Resistance of Type 304L Stainless Steel, Nitric Acid Grade, in Nitric Acid Environments 3,6; 699-705

Aqueous Corrosion

Microstructural and Aqueous Corrosion Aspects of Laser-Surface-Melted Type 304 SS Plasma-Coated Mild Steel 3,3; 412-418

Atomizer

Reheat Response and Accelerated Cooling of a Microalloyed Steel with an Air/Water Atomizer: Effect on Microstructure and Mechanical Properties 3,2; 234-247

Austenitic Stainless Steel

Microstructural Effects on Formability of Type 304 Stainless Steel Sheet in Cylindrical Deep Drawing 3,4; 551-559

Austenitic Steels

Microstructures and Mechanical Properties of Welded Fe-12Cr-20Mn Austenitic Stainless Steel 3,5; 606-611

Autoclave Test

The Chloride Stress-Corrosion Cracking Behavior of Stainless Steels under Different Test Methods 3,6; 734-739

Backward Deformation

Intermediate Shapes in Closed-Die Forging by Backward Deformation Optimization Method (BDOM) 3,4; 501-513

Bainite

Reheat Response and Accelerated Cooling of a Microalloyed Steel with an Air/Water Atomizer: Effect on Microstructure and Mechanical Properties 3,2; 234-247

Ball Unit

Low-Cost, High-Speed Domain Refinement without Damage to Insulative Coatings 3,2; 209-213

Beta-C Titanium

Failure Analysis of Beta-C Titanium Alloy High-Pressure Vessels 3,1; 105-109

Bevel Gears

Residual Stress Measurements in Bevel Gear after Different Production Phases 3,1; 61-64

Beverage Can Stock Aluminum 3004

Effect of Processing Parameters on the Earing and Mechanical Properties of Strip Cast Type 3004 Al Alloy 3,1; 123-134

Biaxial Stretching

Forming Characteristics of Coarse and Fine-Grained AA 2024 Aluminum Alloy Sheet 3,1; 115-121

Braze Metal

Reaction Layer Characterization of the Braze Joint of Silicon Nitride to Stainless Steel 3,5; 596-605

Brittle Material

Mirror Surface Grinding for Brittle Materials with In-Process Electrolytic Dressing 3,1; 159-167

Brush Plating

Application of Amorphous Brush-Plated Coatings to Hot Work Dies 3,1; 145-150

Bursting Tests

Wear Resistance of Ductile Irons 3,3; 403-408

Calcium Chloride Test

The Chloride Stress-Corrosion Cracking Behavior of Stainless Steels under Different Test Methods 3,6; 734-739

Carbide Segregation

Influence of Microstructure on the Premature Failure of a Second-Intermediate Sendzimir Mill Drive Roll 3,5; 649-656

Cast Iron Fiber-Bonded Wheel

Mirror Surface Grinding for Brittle Materials with In-Process Electrolytic Dressing 3,1; 159-167

Cathodic Charging

Prevention of Hydrogen Degradation in Titanium by Deposition of TiN Thin Film 3,6; 740-743

Ceramic Composite

Biaxial Gas-Pressure Forming of a Superplastic Al_2O_3/YTZP 3,4; 496-500

Characterization

Glass Film Structure of Grain-Oriented Silicon Steel Using Aluminum Nitride as an Inhibitor 3,2; 214-217

Charpy Impact Strength

Reclamation and Additional Alloying of 18Ni(350) Maraging Steel 3,3; 386-392

Charpy Impact Tests

Influence of Nickel and Molybdenum on the Phase Stability and Mechanical Properties of Maraging Steels 3,2; 248-254

Chip Formation

Finite Element Modeling of Segmental Chip Formation in High-Speed Orthogonal Cutting 3,6; 712-721

Chloride Stress-Corrosion Cracking

The Chloride Stress-Corrosion Cracking Behavior of Stainless Steels under Different Test Methods 3,6; 734-739

Chromium Nitride

Effect of Nitrogen Alloying on the Microstructure and Abrasive Wear of Stainless Steels 3,2; 259-272

Closed Die Forging

Intermediate Shapes in Closed-Die Forging by Backward Deformation Optimization Method (BDOM) 3,4; 501-513

Coated Powder

Concerning Sigma-Phase in Molybdenum-Rhenium Alloys 3,2; 282-291

Cobalt-Based Alloys

77 to 1200 K Tensile Properties of Several Wrought Superalloys after Long-Term 1093 K Heat Treatment in Air and Vacuum 3,1; 91-103

Coefficient of Thermal Expansion

Reaction Layer Characterization of the Braze Joint of Silicon Nitride to Stainless Steel 3,5; 596-605

Coincidence Boundary

Effect of Initial Texture on Secondary Recrystallization of Grain-Oriented Electrical Steel 3,2; 223-227

Cold Rolling Reduction Ratio

Effect of Initial Texture on Secondary Recrystallization of Grain-Oriented Electrical Steel 3,2; 223-227

Constant Load Test

The Chloride Stress-Corrosion Cracking Behavior of Stainless Steels under Different Test Methods 3,6; 734-739

Construction Grade Steel

Effect of Strain Aging on the Strength Coefficient and Strain-Hardening Exponent of Construction Grade Steels 3,3; 344-349

Contact Mechanics

Near Surface Microstructures Developing under Large Sliding Loads 3,4; 459-475

Cooling Analysis

Research Study Demonstrates Computer Simulation Can Predict Warpage and Assist in Its Elimination 3,5; 635-638

Cooling Curves

Comparative Study of Cooling Curves with JIS Silver Specimens and Alloy 600 Specimens in Relation to Additive Effectiveness 3,3; 367-370

Cooling Rates

Comparative Study of Cooling Curves with JIS Silver Specimens and Alloy 600 Specimens in Relation to Additive Effectiveness 3,3; 367-370

Cooling Time

Research Study Demonstrates Computer Simulation Can Predict Warpage and Assist in Its Elimination 3,5; 635-638

Copper-Nickel-Beryllium Alloys

Forming and Fractographical Characteristics of Copper-Nickel-Beryllium Sheets under Tension and Bending 3,5; 619-634

Copper

Near Surface Microstructures Developing under Large Sliding Loads 3,4; 459-475

Corrosion-Fatigue

Comparison of Corrosion-Fatigue Properties of Precorroded 6013 Bare and 2024 Bare Aluminum Alloy Sheet Materials 3,3; 371-377

Corrosion Potential

Review and Application of Closed-Loop Systems in Flow-Induced Corrosion 3,3; 393-402

Corrosion Resistance

High-Energy NdFeB Magnets and Their Applications 3,2; 218-222

Crack Growth

An Investigation of Pore Cracking in Titanium Welds 3,1; 21-36
3,3; 419-434

Crack Initiation

Damage Tolerance of Wrought Alloy 718 Ni-Fe-Base Superalloy 3,3; 356-366

Cracks: Propagation

Accumulation of Microstructural Damage Due to Fatigue of High-Strength Aluminum Alloys 3,1; 47-54

Creep

A Kinetics Formulation for Low-Temperature Plasticity 3,1; 169-177

Damage Tolerance of Wrought Alloy 718 Ni-Fe-Base Superalloy 3,3; 356-366

Creep Tests

Reproducibility of Small-Strain Creep Tests of Ti 6242Si 3,6; 722-725

Crevice Corrosion

In Vitro Electrochemical Investigations of Advanced Stainless Steels for Applications as Orthopaedic Implants 3,6; 744-753

Damage Tolerance

Damage Tolerance of Wrought Alloy 718 Ni-Fe-Base Superalloy 3,3; 356-366

Dead Metal Zone

Instability and Flow Localization During Compression of a Flow Softening Materials 3,4; 514-526

Deep Penetration

Simulation of Deep Penetration Welding of Stainless Steel Using Geometric Constraints Based on Experimental Information 3,5; 639-648

Deformation Processing

Influence of Post-Superplastic Forming Practices on the Tensile Properties of Aluminum-Lithium Alloys 3,3; 334-343

Deformation

Near Surface Microstructures Developing under Large Sliding Loads 3,4; 459-475

Densification

Recent Developments of High-Performance NEOMAX Magnets 3,2; 228-233

Diffusion

Concerning Sigma-Phase in Molybdenum-Rhenium Alloys 3,2; 282-291

Diffusion Coefficient

Review and Application of Closed-Loop Systems in Flow-Induced Corrosion 3,3; 393-402

Dislocation Density

The Effect of Hole Drilling on Fatigue and Residual Stress Properties of Shot-Peened Aluminum Panels 3,6; 726-733

Dislocation Structure

Near Surface Microstructures Developing under Large Sliding Loads 3,4; 459-475

Dislocations

A Kinetics Formulation for Low-Temperature Plasticity 3,1; 169-177

Domain-Refined

Microstructures and Magnetic Properties of Heatproof Domain-Refined Grain-Oriented Silicon Steel Sheets 3,6; 706-711

Domains

Low-Cost, High-Speed Domain Refinement without Damage to Insulative Coatings 3,2; 209-213

Drill Wear

Intelligent Recognition of Drill Wear States 3,4; 490-495

Drop Evaporation Test

The Chloride Stress-Corrosion Cracking Behavior of Stainless Steels under Different Test Methods 3,6; 734-739

Dual-Phase Damping Alloy

A Study of Impact Toughness of Fe-Cr-X Damping Alloys 3,3; 409-411

Ductile Iron

Effect of Elongated Graphite on Mechanical Properties of Hot-Rolled Ductile Iron 3,5; 657-663

Wear Resistance of Ductile Irons 3,3; 403-408

Dysprosium Distribution

High-Energy NdFeB Magnets and Their Applications 3,2; 218-222

Effects of Carbon

Effect of Strain Aging on the Strength Coefficient and Strain-Hardening Exponent of Construction Grade Steels 3,3; 344-349

Effect of Hole Drilling after Shot-Peening

The Effect of Hole Drilling on Fatigue and Residual Stress Properties of Shot-Peened Aluminum Panels 3,6; 726-733

Effects of Nitrogen

Effect of Strain Aging on the Strength Coefficient and Strain-Hardening Exponent of Construction Grade Steels 3,3; 344-349

Electroless Nickel Plating

High-Energy NdFeB Magnets and Their Applications 3,2; 218-222

Electrolytic Dressing

Mirror Surface Grinding for Brittle Materials with In-Process Electrolytic Dressing 3,1; 159-167

Electron Microscopy

Reclamation and Additional Alloying of 18Ni(350) Maraging Steel 3,3; 386-392

Electrotransport

Postweld Electrotransport Treatment 3,5; 612-618

End Grain Corrosion

Mechanism of Improved Corrosion Resistance of Type 304L Stainless Steel, Nitric Acid Grade, in Nitric Acid Environments 3,6; 699-705

Endurance Tests

Wear Resistance of Ductile Irons 3,3; 403-408

Energy Storage

Large-Scale Production and Quality Assurance of Hydrogen Storage (Battery) Alloys 3,1; 37-46

EPC Process

Thermal Degradation of Foamed Polymethyl Methacrylate in the Expendable Pattern Casting Process 3,3; 329-333

Etch Pit

Low-Cost, High-Speed Domain Refinement without Damage to Insulative Coatings 3,2; 209-213

Failure Analysis

Failure Analysis of Beta-C Titanium Alloy High-Pressure Vessels 3,1; 105-109

Fatigue

Accumulation of Microstructural Damage Due to Fatigue of High-Strength Aluminum Alloys 3,1; 47-54

Microstructures and Mechanical Properties of Welded Fe-12Cr-20Mn Austenitic Stainless Steel 3,5; 606-611

Fatigue Crack Growth

Fatigue Crack Growth Behavior of a New Single Crystal Nickel-Based Superalloy (CMSX-4) at 650 °C 3,4; 540-550

Fatigue Crack Growth Rate

Damage Tolerance of Wrought Alloy 718 Ni-Fe-Base Superalloy 3,3; 356-366

Fatigue Failure

Investigation of Fatigue Failure of a Stainless Steel Orthopedic Implant Device 3,1; 111-113

Fe-Based Shape Memory Alloy

Hysteretic Behavior in an Fe-Cr-Ni-Mn-Si Polycrystalline Shape Memory Alloy During Thermomechanical Cyclic Loading 3,1; 135-143

Ferrite

Mirror Surface Grinding for Brittle Materials with In-Process Electrolytic Dressing 3,1; 159-167

Fine-Grained Size

Biaxial Gas-Pressure Forming of a Superplastic Al_2O_3/YTZP 3,4; 496-500

Finite Element

Finite Element Modeling of Segmental Chip Formation in High-Speed Orthogonal Cutting 3,6; 712-721

Finite Element Method

Instability and Flow Localization During Compression of a Flow Softening Materials 3,4; 514-526

Intermediate Shapes in Closed-Die Forging by Backward Deformation Optimization Method (BDOM) 3,4; 501-513

Flow Analysis

Research Study Demonstrates Computer Simulation Can Predict Warpage and Assist in Its Elimination 3,5; 635-638

Flow Localization

Instability and Flow Localization During Compression of a Flow Softening Materials 3,4; 514-526

Forging Die Design

Intermediate Shapes in Closed-Die Forging by Backward Deformation Optimization Method (BDOM) 3,4; 501-513

Formability

Forming Characteristics of Coarse and Fine-Grained AA 2024 Aluminum Alloy Sheet 3,1; 115-121

Forming

Biaxial Gas-Pressure Forming of a Superplastic Al_2O_3/YTZP 3,4; 496-500

Forming and Fractographical Characteristics of Copper-Nickel-Beryllium Sheets under Tension and Bending 3,5; 619-634

Forming Limit Strain

Forming Characteristics of Coarse and Fine-Grained AA 2024 Aluminum Alloy Sheet 3,1; 115-121

Forsterite

Glass Film Structure of Grain-Oriented Silicon Steel Using Aluminum Nitride as an Inhibitor 3,2; 214-217

Fracture Algorithm

Finite Element Modeling of Segmental Chip Formation in High-Speed Orthogonal Cutting 3,6; 712-721

Fracture Mechanics

Failure Analysis of Beta-C Titanium Alloy High-Pressure Vessels 3,1; 105-109

Fractography

Forming and Fractographical Characteristics of Copper-Nickel-Beryllium Sheets under Tension and Bending 3,5; 619-634

Friction

A Novel System to Study Wear, Friction, and Lubricants 3,4; 527-539

Friction (continued)

Near Surface Microstructures Developing under Large Sliding Loads 3,4; 459-475

Frictional Wear

Wear Resistance of Ductile Irons 3,3; 403-408

Full Mold Process

Thermal Degradation of Foamed Polymethyl Methacrylate in the Expendable Pattern Casting Process 3,3; 329-333

Fusion Energy

Microstructures and Mechanical Properties of Welded Fe-12Cr-20Mn Austenitic Stainless Steel 3,5; 606-611

Geometric Constraints

Simulation of Deep Penetration Welding of Stainless Steel Using Geometric Constraints Based on Experimental Information 3,5; 639-648

Glass Film Structure

Glass Film Structure of Grain-Oriented Silicon Steel Using Aluminum Nitride as an Inhibitor 3,2; 214-217

Grain Growth

Effect of Initial Texture on Secondary Recrystallization of Grain-Oriented Electrical Steel 3,2; 223-227

Grain-Oriented Silicon Steel

Glass Film Structure of Grain-Oriented Silicon Steel Using Aluminum Nitride as an Inhibitor 3,2; 214-217

Grain-Oriented

Microstructures and Magnetic Properties of Heatproof Domain-Refined Grain-Oriented Silicon Steel Sheets 3,6; 706-711

Grain Refinement

Near Surface Microstructures Developing under Large Sliding Loads 3,4; 459-475

Grain Size

Forming Characteristics of Coarse and Fine-Grained AA 2024 Aluminum Alloy Sheet 3,1; 115-121

Graphite Aspect Ratio

Effect of Elongated Graphite on Mechanical Properties of Hot-Rolled Ductile Iron 3,5; 657-663

Groove

Microstructures and Magnetic Properties of Heatproof Domain-Refined Grain-Oriented Silicon Steel Sheets 3,6; 706-711

Hardenability

Comparative Study of Cooling Curves with JIS Silver Specimens and Alloy 600 Specimens in Relation to Additive Effectiveness 3,3; 367-370

Haynes Alloy 188

Mechanical Properties of Haynes Alloy 188 after 22,500 Hours of Exposure to LiF-22CaF_2 and Vacuum at 1093 K 3,6; 754-762

Haynes Alloy 230

Tensile Properties of Haynes Alloy 230 and Inconel 617 after Long Exposures to LiF-22CaF_2 and Vacuum at 1093 K 3,6; 763-774

Heat Transfer

Reheat Response and Accelerated Cooling of a Microalloyed Steel with an Air/Water Atomizer: Effect on Microstructure and Mechanical Properties 3,2; 234-247

Heat Treatment

77 to 1200 K Tensile Properties of Several Wrought Superalloys after Long-Term 1093 K Heat Treatment in Air and Vacuum 3,1; 91-103

Concerning Sigma-Phase in Molybdenum-Rhenium Alloys 3,2; 282-291

Effect of Heat Treatment on the Microstructure of a Metastable β-Titanium Alloy 3,4; 560-566

Influence of Post-Superplastic Forming Practices on the Tensile Properties of Aluminum-Lithium Alloys 3,3; 334-343

Mechanical Properties of Haynes Alloy 188 after 22,500 Hours of Exposure to LiF-22CaF_2 and Vacuum at 1093 K 3,6; 754-762

Tensile Properties of Haynes Alloy 230 and Inconel 617 after Long Exposures to LiF-22CaF_2 and Vacuum at 1093 K 3,6; 763-774

Heat Treatment of Al Castings

Impact Properties of A356-T6 Alloys 3,1; 83-90

High-Current

High-Current Metal Ion Implantation for Industrial Applications 3,5; 587-590

High-Performance Magnets

Recent Developments of High-Performance NEOMAX Magnets 3,2; 228-233

High Pressure Resource

Failure Analysis of Beta-C Titanium Alloy High-Pressure Vessels 3,1; 105-109

High Temperature

Fatigue Crack Growth Behavior of a New Single Crystal Nickel-Based Superalloy (CMSX-4) at 650 °C 3,4; 540-550

Highest Magnetic Properties

Recent Developments of High-Performance NEOMAX Magnets 3,2; 228-233

Hot Work Die

Application of Amorphous Brush-Plated Coatings to Hot Work Dies 3,1; 145-150

HSLA Steels (High Strength Low Alloy)

Reheat Response and Accelerated Cooling of a Microalloyed Steel with an Air/Water Atomizer: Effect on Microstructure and Mechanical Properties 3,2; 234-247

Hydrides

Large-Scale Production and Quality Assurance of Hydrogen Storage (Battery) Alloys 3,1; 37-46

Hydrogen Degradation

Prevention of Hydrogen Degradation in Titanium by Deposition of TiN Thin Film 3,6; 740-743

Hydrogen Diffusion

Postweld Electrotransport Treatment 3,5; 612-618

Hydrogenation

Optothermal Study of Hydrogenated Amorphous Silicon-Sulfur Alloys 3,2; 255-258

Hysteresis

Hysteretic Behavior in an Fe-Cr-Ni-Mn-Si Polycrystalline Shape Memory Alloy During Thermomechanical Cyclic Loading 3,1; 135-143

Impact Properties

Impact Properties of A356-T6 Alloys 3,1; 83-90

Impact Toughness

A Study of Impact Toughness of Fe-Cr-X Damping Alloys 3,3; 409-411

Implant Device

Investigation of Fatigue Failure of a Stainless Steel Orthopedic Implant Device 3,1; 111-113

In Vitro Corrosion

In Vitro Electrochemical Investigations of Advanced Stainless Steels for Applications as Orthopaedic Implants 3,6; 744-753

Inclusions

Reclamation and Additional Alloying of 18Ni(350) Maraging Steel 3,3; 386-392

Inconel 617

Tensile Properties of Haynes Alloy 230 and Inconel 617 after Long Exposures to LiF-22CaF_2 and Vacuum at 1093 K 3,6; 763-774

Industrial Application

High-Current Metal Ion Implantation for Industrial Applications 3,5; 587-590

Inhomogeneous Deformation

Instability and Flow Localization During Compression of a Flow Softening Materials 3,4; 514-526

Injection Molding

Research Study Demonstrates Computer Simulation Can Predict Warpage and Assist in Its Elimination 3,5; 635-638

Intergranular Corrosion

Mechanism of Improved Corrosion Resistance of Type 304L Stainless Steel, Nitric Acid Grade, in Nitric Acid Environments 3,6; 699-705

Intermetallics

Reaction Layer Characterization of the Braze Joint of Silicon Nitride to Stainless Steel 3,5; 596-605

Kinematic Viscosity

Review and Application of Closed-Loop Systems in Flow-Induced Corrosion 3,3; 393-402

Laser Surface Melting

Microstructural and Aqueous Corrosion Aspects of Laser-Surface-Melted Type 304 SS Plasma-Coated Mild Steel 3,6; 412-418

Laser-Liquid Interaction

Novel Techniques for Selective Diamond Growth on Various Substrates 3,3; 378-385

Limiting Current Density

Review and Application of Closed-Loop Systems in Flow-Induced Corrosion 3,3; 393-402

Long Term Exposure

Mechanical Properties of Haynes Alloy 188 after 22,500 Hours of Exposure to LiF-22CaF_2 and Vacuum at 1093 K 3,6; 754-762

Tensile Properties of Haynes Alloy 230 and Inconel 617 after Long Exposures to LiF-22CaF_2 and Vacuum at 1093 K 3,6; 763-774

Lost Foam Process

Thermal Degradation of Foamed Polymethyl Methacrylate in the Expendable Pattern Casting Process 3,3; 329-333

Low Carbon Steel

On the Effects of Predeformation on Work Hardening of Ultra-Low-Carbon Sheet Steel 3,1; 65-71

Low-Cycle Fatigue

Damage Tolerance of Wrought Alloy 718 Ni-Fe-Base Superalloy 3,3; 356-366

Machinability

Effect of Reduction Ratio on the Machinability of a Medium Carbon Microalloyed Steel 3,4; 484-489

Magnesium Chloride Test

The Chloride Stress-Corrosion Cracking Behavior of Stainless Steels under Different Test Methods 3,6; 734-739

Maraging Steels

Influence of Nickel and Molybdenum on the Phase Stability and Mechanical Properties of Maraging Steels 3,2; 248-254

Reclamation and Additional Alloying of 18Ni(350) Maraging Steel 3,3; 386-392

Mass-Transfer Coefficient

Review and Application of Closed-Loop Systems in Flow-Induced Corrosion 3,3; 393-402

Materials Testing

A Novel System to Study Wear, Friction, and Lubricants 3,4; 527-539

Mathematical Analysis

A Kinetics Formulation for Low-Temperature Plasticity 3,1; 169-177

Mechanical Anisotropy (Earing)

Effect of Processing Parameters on the Earing and Mechanical Properties of Strip Cast Type 3004 Al Alloy 3,1; 123-134

Mechanical Properties

A Kinetics Formulation for Low-Temperature Plasticity 3,1; 169-177

Effect of Elongated Graphite on Mechanical Properties of Hot-Rolled Ductile Iron 3,5; 657-663

Effect of Strain Aging on the Strength Coefficient and Strain-Hardening Exponent of Construction Grade Steels 3,3; 344-349

Influence of Post-Superplastic Forming Practices on the Tensile Properties of Aluminum-Lithium Alloys 3,3; 334-343

Mechanical Properties of Haynes Alloy 188 after 22,500 Hours of Exposure to LiF-22CaF_2 and Vacuum at 1093 K 3,6; 754-762

Melt Temperature

Research Study Demonstrates Computer Simulation Can Predict Warpage and Assist in Its Elimination 3,5; 635-638

Metal Injection Molding
Rheological Characterization of Feedstocks for Metal Injection Molding 3,2; 300-306

Metal Ion Implantation
High-Current Metal Ion Implantation for Industrial Applications 3,5; 587-590

Metals
Near Surface Microstructures Developing under Large Sliding Loads 3,4; 459-475

Microalloyed
Effect of Reduction Ratio on the Machinability of a Medium Carbon Microalloyed Steel 3,4; 484-489

Microhardness of Structural Constituents
Wear Resistance of Ductile Irons 3,3; 403-408

Microstructural Design
Damage Tolerance of Wrought Alloy 718 Ni-Fe-Base Superalloy 3,3; 356-366

Micrograins
Microstructures and Magnetic Properties of Heatproof Domain-Refined Grain-Oriented Silicon Steel Sheets 3,6; 706-711

Microstructure
Concerning Sigma-Phase in Molybdenum-Rhenium Alloys 3,2; 282-292
Effect of Heat Treatment on the Microstructure of a Metastable β-Titanium Alloy 3,4; 560-566
Effect of Initial Texture on Secondary Recrystallization of Grain-Oriented Electrical Steel 3,2; 223-227
Microstructural Effects on Formability of Type 304 Stainless Steel Sheet in Cylindrical Deep Drawing 3,4; 551-559
Near Surface Microstructures Developing under Large Sliding Loads 3,4; 459-475
Recent Developments of High-Performance NEOMAX Magnets 3,2; 228-233
Strengthening of a 12CrMoV Turbine Blade Steel by Retempering 3,3; 350-355

Milling
On the Closed Form Mechanistic Modeling of Milling: Specific Cutting Energy, Torque, and Power 3,1; 151-158

Mirror-Like Surface Grinding
Mirror Surface Grinding for Brittle Materials with In-Process Electrolytic Dressing 3,1; 159-167

Modeling
Finite Element Modeling of Segmental Chip Formation in High-Speed Orthogonal Cutting 3,6; 712-721
On the Closed Form Mechanistic Modeling of Milling: Specific Cutting Energy, Torque, and Power 3,1; 151-158

Modification
Impact Properties of A356-T6 Alloys 3,1; 83-90

Mold Temperature
Research Study Demonstrates Computer Simulation Can Predict Warpage and Assist in Its Elimination 3,5; 635-638

Moldflow
Research Study Demonstrates Computer Simulation Can Predict Warpage and Assist in Its Elimination 3,5; 635-638

Molybdenum
Influence of Nickel and Molybdenum on the Phase Stability and Mechanical Properties of Maraging Steels 3,2; 248-254

Molybdenum-Rhenium Alloy
Concerning Sigma-Phase in Molybdenum-Rhenium Alloys 3,2; 282-291

Morphology Phase
Concerning Sigma-Phase in Molybdenum-Rhenium Alloys 3,2; 282-291

Nanocrystalline Diamond Film
Novel Techniques for Selective Diamond Growth on Various Substrates 3,3; 378-385

Nd2Fe14B
High-Energy NdFeB Magnets and Their Applications 3,2; 218-222

Nd-Fe-B Sintered Magnets
Recent Developments of High-Performance NEOMAX Magnets 3,2; 228-233

Neural Networks
Intelligent Recognition of Drill Wear States 3,4; 490-495

Nickel
Influence of Nickel and Molybdenum on the Phase Stability and Mechanical Properties of Maraging Steels 3,2; 248-254

Nickel-Based Alloys
77 to 1200 K Tensile Properties of Several Wrought Superalloys after Long-Term 1093 K Heat Treatment in Air and Vacuum 3,1; 91-103
3,5; 664-672

Nickel Superalloy
Fatigue Crack Growth Behavior of a New Single Crystal Nickel-Based Superalloy (CMSX-4) at 650 °C 3,4; 540-550
Tensile Behavior of a New Single-Crystal Nickel-Based Superalloy (CMSX-4) at Room and Elevated Temperatures 3,1; 73-81

Nitrogen Bearing Stainless Steels
In Vitro Electrochemical Investigations of Advanced Stainless Steels for Applications as Orthopaedic Implants 3,6; 744-753

Nitrogen Stainless Steel
Effect of Nitrogen Alloying on the Microstructure and Abrasive Wear of Stainless Steels 3,2; 259-272

Nitrogen Steels
Plasma Spraying of High-Nitrogen-Bearing Steels for Wear-Resistant Coatings and Structural Applications 3,4; 476-483

Nodule Size
Wear Resistance of Ductile Irons 3,3; 403-408

Notch Sensitivity
Damage Tolerance of Wrought Alloy 718 Ni-Fe-Base Superalloy 3,3; 356-366

Numerical Modeling
Simulation of Deep Penetration Welding of Stainless Steel Using Geometric Constraints Based on Experimental Information 3,5; 639-648

Open-Circuit Potential

Review and Application of Closed-Loop Systems in Flow-Induced Corrosion 3,3; 393-402

Optic Measurements

Optothermal Study of Hydrogenated Amorphous Silicon-Sulfur Alloys 3,2; 255-258

Orthogonal Cutting

Finite Element Modeling of Segmental Chip Formation in High-Speed Orthogonal Cutting 3,6; 712-721

Orthopedic Implants

In Vitro Electrochemical Investigations of Advanced Stainless Steels for Applications as Orthopaedic Implants 3,6; 744-753

Overload Failure

Investigation of Fatigue Failure of a Stainless Steel Orthopedic Implant Device 3,1; 111-113

Oxidation

Isothermal Oxidation of Physical Vapor Deposited Partially Stabilized Zirconia Thermal Barrier Coatings 3,1; 55-60

Partially Stabilized Zirconia

Isothermal Oxidation of Physical Vapor Deposited Partially Stabilized Zirconia Thermal Barrier Coatings 3,1; 55-60

Particle Size Distribution

Recent Developments of High-Performance NEOMAX Magnets 3,2; 228-233

Particles Alignment

Recent Developments of High-Performance NEOMAX Magnets 3,2; 228-233

Patterning

Novel Techniques for Selective Diamond Growth on Various Substrates 3,3; 378-385

Pitting Corrosion

In Vitro Electrochemical Investigations of Advanced Stainless Steels for Applications as Orthopaedic Implants 3,6; 744-753

Pitting Potential

Review and Application of Closed-Loop Systems in Flow-Induced Corrosion 3,3; 393-402

Plasma Coating

Microstructural and Aqueous Corrosion Aspects of Laser-Surface-Melted Type 304 SS Plasma-Coated Mild Steel 3,3; 412-418

Plasma Nitriding

Prevention of Hydrogen Degradation in Titanium by Deposition of TiN Thin Film 3,6; 740-743

Plasma Spraying

Plasma Spraying of High-Nitrogen-Bearing Steels for Wear-Resistant Coatings and Structural Applications 3,4; 476-483

Plastic Deformation

Microstructural Effects on Formability of Type 304 Stainless Steel Sheet in Cylindrical Deep Drawing 3,4; 551-559

Plastic Instability

Instability and Flow Localization During Compression of a Flow Softening Materials 3,4; 514-526

Plasticity: Low Temperature

A Kinetics Formulation for Low-Temperature Plasticity 3,1; 169-177

PMMA

Thermal Degradation of Foamed Polymethyl Methacrylate in the Expendable Pattern Casting Process 3,3; 329-333

Polymethyl Methacrylate

Thermal Degradation of Foamed Polymethyl Methacrylate in the Expendable Pattern Casting Process 3,3; 329-333

Porosity

An Investigation of Pore Cracking in Titanium Welds 3,1; 21-36
3,3; 419-434

Powder Injection Molding

Rheological Characterization of Feedstocks for Metal Injection Molding 3,2; 300-306

Power

On the Closed Form Mechanistic Modeling of Milling: Specific Cutting Energy, Torque, and Power 3,1; 151-158

Power Loss

Low-Cost, High-Speed Domain Refinement without Damage to Insulative Coatings 3,2; 209-213

Precipitation

Effect of Heat Treatment on the Microstructure of a Metastable β-Titanium Alloy 3,4; 560-566

Effect of Processing Parameters on the Earing and Mechanical Properties of Strip Cast Type 3004 Al Alloy 3,1; 123-134

Prediction

Research Study Demonstrates Computer Simulation Can Predict Warpage and Assist in Its Elimination 3,5; 635-638

Primary Recrystallization

Effect of Initial Texture on Secondary Recrystallization of Grain-Oriented Electrical Steel 3,2; 223-227

Properties

A Kinetics Formulation for Low-Temperature Plasticity 3,1; 169-177

Protection Potential

Review and Application of Closed-Loop Systems in Flow-Induced Corrosion 3,3; 393-402

Quench Testing

Comparative Study of Cooling Curves with JIS Silver Specimens and Alloy 600 Specimens in Relation to Additive Effectiveness 3,3; 367-370

Quenching

Comparative Study of Cooling Curves with JIS Silver Specimens and Alloy 600 Specimens in Relation to Additive Effectiveness 3,3; 367-370

Rare Earth Magnet

High-Energy NdFeB Magnets and Their Applications 3,2; 218-222

Reaction Layer

Reaction Layer Characterization of the Braze Joint of Silicon Nitride to Stainless Steel 3,5; 596-605

Reactive Spraying
Plasma Spraying of High-Nitrogen-Bearing Steels for Wear-Resistant Coatings and Structural Applications 3,4; 476-483

Reciprocating Sliding Wear
Wear Resistance of Ductile Irons 3,3; 403-408

Reclamation
Reclamation and Additional Alloying of 18Ni(350) Maraging Steel 3,3; 386-392

Recrystallization
Effect of Processing Parameters on the Earing and Mechanical Properties of Strip Cast Type 3004 Al Alloy 3,1; 123-134
Near Surface Microstructures Developing under Large Sliding Loads 3,4; 459-475
The Effect of the Rolling Mode on the Recrystallization Behavior of 2090 Al-Li Alloy 3,2; 292-299

Red Hardness
Application of Amorphous Brush-Plated Coatings to Hot Work Dies 3,1; 145-150

Reduction Ratio
Effect of Reduction Ratio on the Machinability of a Medium Carbon Microalloyed Steel 3,4; 484-489

Refinement
Low-Cost, High-Speed Domain Refinement without Damage to Insulative Coatings 3,2; 209-213

Residual Stress
Residual Stress Measurements in Bevel Gear after Different Production Phases 3,1; 61-64
The Effect of Hole Drilling on Fatigue and Residual Stress Properties of Shot-Peened Aluminum Panels 3,6; 726-733

Reynolds Number
Review and Application of Closed-Loop Systems in Flow-Induced Corrosion 3,3; 393-402

Rheological Characterization
Rheological Characterization of Feedstocks for Metal Injection Molding 3,2; 300-306

Roll Failure
Influence of Microstructure on the Premature Failure of a Second-Intermediate Sendzimir Mill Drive Roll 3,5; 649-656

Rolling
The Effect of the Rolling Mode on the Recrystallization Behavior of 2090 Al-Li Alloy 3,2; 292-299

Rotating Sliding Testing
Wear Resistance of Ductile Irons 3,3; 403-408

Schmidts Number
Review and Application of Closed-Loop Systems in Flow-Induced Corrosion 3,3; 393-402

Secondary Recrystallization
Effect of Initial Texture on Secondary Recrystallization of Grain-Oriented Electrical Steel 3,2; 223-227

SEM/EPMA Analysis
Glass Film Structure of Grain-Oriented Silicon Steel Using Aluminum Nitride as an Inhibitor 3,2; 214-217

Sendzimir Mill Roll
Influence of Microstructure on the Premature Failure of a Second-Intermediate Sendzimir Mill Drive Roll 3,5; 649-656

Sensitization
Mechanism of Improved Corrosion Resistance of Type 304L Stainless Steel, Nitric Acid Grade, in Nitric Acid Environments 3,6; 699-705

Sensor Fusion
Intelligent Recognition of Drill Wear States 3,4; 490-495

Serrated Grain Boundaries
Damage Tolerance of Wrought Alloy 718 Ni-Fe-Base Superalloy 3,3; 356-366

Shape Optimization
Intermediate Shapes in Closed-Die Forging by Backward Deformation Optimization Method (BDOM) 3,4; 501-513

Shear Band
Instability and Flow Localization During Compression of a Flow Softening Materials 3,4; 514-526

Sheet Forming
On the Effects of Predeformation on Work Hardening of Ultra-Low-Carbon Sheet Steel 3,1; 65-71

Sheet Metal
Simultaneous Ultrasonic Evaluation with Differentiation of Stress and Texture 3,2; 273-281

Sherwood Number
Review and Application of Closed-Loop Systems in Flow-Induced Corrosion 3,3; 393-402

Shot-Peened Aluminum Panels
The Effect of Hole Drilling on Fatigue and Residual Stress Properties of Shot-Peened Aluminum Panels 3,6; 726-733

Shrinkage
Research Study Demonstrates Computer Simulation Can Predict Warpage and Assist in Its Elimination 3,5; 635-638

Sigma-Phase
Concerning Sigma-Phase in Molybdenum-Rhenium Alloys 3,2; 282-291

Silicon Alloys
Optothermal Study of Hydrogenated Amorphous Silicon-Sulfur Alloys 3,2; 255-258

Silicon Nitride
Reaction Layer Characterization of the Braze Joint of Silicon Nitride to Stainless Steel 3,5; 596-605

Silicon Steel
Effect of Initial Texture on Secondary Recrystallization of Grain-Oriented Electrical Steel 3,2; 223-227

Silicon Steel Sheets
Microstructures and Magnetic Properties of Heatproof Domain-Refined Grain-Oriented Silicon Steel Sheets 3,6; 706-711

Simulation
Research Study Demonstrates Computer Simulation Can Predict Warpage and Assist in Its Elimination 3,5; 635-638

Single Crystal

Fatigue Crack Growth Behavior of a New Single Crystal Nickel-Based Superalloy (CMSX-4) at 650 °C 3,4; 540-550

Tensile Behavior of a New Single-Crystal Nickel-Based Superalloy (CMSX-4) at Room and Elevated Temperatures 3,1; 73-81; 3,5; 664-672

Slab Analysis

Instability and Flow Localization During Compression of a Flow Softening Materials 3,4; 514-526

Solution Annealing

Mechanism of Improved Corrosion Resistance of Type 304L Stainless Steel, Nitric Acid Grade, in Nitric Acid Environments 3,6; 699-705

Spalling

Influence of Microstructure on the Premature Failure of a Second-Intermediate Sendzimir Mill Drive Roll 3,5; 649-656

Specific Cutting Energy

On the Closed Form Mechanistic Modeling of Milling: Specific Cutting Energy, Torque, and Power 3,1; 151-158

Spinel

Glass Film Structure of Grain-Oriented Silicon Steel Using Aluminum Nitride as an Inhibitor 3,2; 214-217

Spinel Formation Mechanism

Glass Film Structure of Grain-Oriented Silicon Steel Using Aluminum Nitride as an Inhibitor 3,2; 214-217

Stainless Steel

The Chloride Stress-Corrosion Cracking Behavior of Stainless Steels under Different Test Methods 3,6; 734-739

Stainless Steel 304L

Mechanism of Improved Corrosion Resistance of Type 304L Stainless Steel, Nitric Acid Grade, in Nitric Acid Environments 3,6; 699-705

Static and Pulsating Pressure Testing

Wear Resistance of Ductile Irons 3,3; 403-408

Steels

Postweld Electrotransport Treatment 3,5; 612-618

Strain Hardening

Effect of Strain Aging on the Strength Coefficient and Strain-Hardening Exponent of Construction Grade Steels 3,3; 344-349

Near Surface Microstructures Developing under Large Sliding Loads 3,4; 459-475

Strain Rate Localization

Instability and Flow Localization During Compression of a Flow Softening Materials 3,4; 514-526

Strengthening

Strengthening of a 12CrMoV Turbine Blade Steel by Retempering 3,3; 350-355

Stress

Simultaneous Ultrasonic Evaluation with Differentiation of Stress and Texture 3,2; 273-281

Superabrasive Diamond Wheel

Mirror Surface Grinding for Brittle Materials with In-Process Electrolytic Dressing 3,1; 159-167

Superalloys

77 to 1200 K Tensile Properties of Several Wrought Superalloys after Long-Term 1093 K Heat Treatment in Air and Vacuum 3,1; 91-103

Mechanical Properties of Haynes Alloy 188 after 22,500 Hours of Exposure to LiF-22CaF_2 and Vacuum at 1093 K 3,6; 754-762

Tensile Properties of Haynes Alloy 230 and Inconel 617 after Long Exposures to LiF-22CaF_2 and Vacuum at 1093 K 3,6; 763-774

Superconductivity

Effect of Antimony Addition in Bi(Pb)-Sr-Ca-Cu-O on Superconductivity 3,5; 591-595

Superplastic Forming

Influence of Post-Superplastic Forming Practices on the Tensile Properties of Aluminum-Lithium Alloys 3,3; 334-343

Superplasticity

Biaxial Gas-Pressure Forming of a Superplastic Al_2O_3/YTZP 3,4; 496-500

Surface Processing

High-Current Metal Ion Implantation for Industrial Applications 3,5; 587-590

Sustained Load Cracking

An Investigation of Pore Cracking in Titanium Welds 3,1; 21-36; 3,3; 419-434

Taguchi

Research Study Demonstrates Computer Simulation Can Predict Warpage and Assist in Its Elimination 3,5; 635-638

Temper Effects

Forming Characteristics of Coarse and Fine-Grained AA 2024 Aluminum Alloy Sheet 3,1; 115-121

Temperature

Tensile Behavior of a New Single-Crystal Nickel-Based Superalloy (CMSX-4) at Room and Elevated Temperatures 3,1; 73-81; 3,5; 664-672

Tempered Martensite

Influence of Microstructure on the Premature Failure of a Second-Intermediate Sendzimir Mill Drive Roll 3,5; 649-656

Reheat Response and Accelerated Cooling of a Microalloyed Steel with an Air/Water Atomizer: Effect on Microstructure and Mechanical Properties 3,2; 234-247

Tempering Resistance

Strengthening of a 12CrMoV Turbine Blade Steel by Retempering 3,3; 350-355

Tensile Behavior

Tensile Behavior of a New Single-Crystal Nickel-Based Superalloy (CMSX-4) at Room and Elevated Temperatures 3,1; 73-81; 3,5; 664-672

Tensile Elongation

Forming Characteristics of Coarse and Fine-Grained AA 2024 Aluminum Alloy Sheet 3,1; 115-121

Tensile Properties

77 to 1200 K Tensile Properties of Several Wrought Superalloys after Long-Term 1093 K Heat Treatment in Air and Vacuum 3,1; 91-103

Tensile Properties of Haynes Alloy 230 and Inconel 617 after Long Exposures to LiF-22CaF2 and Vacuum at 1093 K 3,6; 763-774

Forming and Fractographical Characteristics of Copper-Nickel-Beryllium Sheets under Tension and Bending 3,5; 619-634

Microstructures and Mechanical Properties of Welded Fe-12Cr-20Mn Austenitic Stainless Steel 3,5; 606-611

Strengthening of a 12CrMoV Turbine Blade Steel by Retempering 3,3; 350-355

Tensile Strength

Reclamation and Additional Alloying of 18Ni(350) Maraging Steel 3,3; 386-392

Testing

A Kinetics Formulation for Low-Temperature Plasticity 3,1; 169-177

A Novel System to Study Wear, Friction, and Lubricants 3,4; 527-539

Texture

Effect of Initial Texture on Secondary Recrystallization of Grain-Oriented Electrical Steel 3,2; 223-227

Simultaneous Ultrasonic Evaluation with Differentiation of Stress and Texture 3,2; 273-281

Thermal Barrier Coating

Isothermal Oxidation of Physical Vapor Deposited Partially Stabilized Zirconia Thermal Barrier Coatings 3,1; 55-60

Thermal Degradation

Thermal Degradation of Foamed Polymethyl Methacrylate in the Expendable Pattern Casting Process 3,3; 329-333

Thermal Energy Storage

Mechanical Properties of Haynes Alloy 188 after 22,500 Hours of Exposure to LiF-22CaF2 and Vacuum at 1093 K 3,6; 754-762

Tensile Properties of Haynes Alloy 230 and Inconel 617 after Long Exposures to LiF-22CaF2 and Vacuum at 1093 K 3,6; 763-774

Thermal Wear Resistance

Application of Amorphous Brush-Plated Coatings to Hot Work Dies 3,1; 145-150

Thermomechanical Cyclic Loading

Hysteretic Behavior in an Fe-Cr-Ni-Mn-Si Polycrystalline Shape Memory Alloy During Thermomechanical Cyclic Loading 3,1; 135-143

Thrust Force

Intelligent Recognition of Drill Wear States 3,4; 490-495

TiN Thin Film

Prevention of Hydrogen Degradation in Titanium by Deposition of TiN Thin Film 3,6; 740-743

Titanium Alloys

An Investigation of Pore Cracking in Titanium Welds 3,1; 21-36; 3,3; 419-434

Effect of Heat Treatment on the Microstructure of a Metastable β-Titanium Alloy 3,4; 560-566

Prevention of Hydrogen Degradation in Titanium by Deposition of TiN Thin Film 3,6; 740-743

Reproducibility of Small-Strain Creep Tests of Ti 6242Si 3,6; 722-725

Tool Wear

On the Closed Form Mechanistic Modeling of Milling: Specific Cutting Energy, Torque, and Power 3,1; 151-158

Torque

On the Closed Form Mechanistic Modeling of Milling: Specific Cutting Energy, Torque, and Power 3,1; 151-158

Tribology

A Novel System to Study Wear, Friction, and Lubricants 3,4; 527-539

Near Surface Microstructures Developing under Large Sliding Loads 3,4; 459-475

Turbine Blade

Strengthening of a 12CrMoV Turbine Blade Steel by Retempering 3,3; 350-355

Two-Alloy Method

High-Energy NdFeB Magnets and Their Applications 3,2; 218-222

Ultrasonics

Simultaneous Ultrasonic Evaluation with Differentiation of Stress and Texture 3,2; 273-281

Vacuum

77 to 1200 K Tensile Properties of Several Wrought Superalloys after Long-Term 1093 K Heat Treatment in Air and Vacuum 3,1; 91-103

Vacuum Melting

Reclamation and Additional Alloying of 18Ni(350) Maraging Steel 3,3; 386-392

Vertical Acceleration

Intelligent Recognition of Drill Wear States 3,4; 490-495

Voice Coil Motor

High-Energy NdFeB Magnets and Their Applications 3,2; 218-222

Warpage

Research Study Demonstrates Computer Simulation Can Predict Warpage and Assist in Its Elimination 3,5; 635-638

Wear Rate

Wear Resistance of Ductile Irons 3,3; 403-408

Wear Resistance Coatings

Plasma Spraying of High-Nitrogen-Bearing Steels for Wear-Resistant Coatings and Structural Applications 3,4; 476-483

Wear

Near Surface Microstructures Developing under Large Sliding Loads 3,4; 459-475

Welding

An Investigation of Pore Cracking in Titanium Welds 3,1; 21-36; 3,3; 419-434

Microstructures and Mechanical Properties of Welded Fe-12Cr-20Mn Austenitic Stainless Steel 3,5; 606-611

Postweld Electrotransport Treatment 3,5; 612-618

Work Hardening

On the Effects of Predeformation on Work Hardening of Ultra-Low-Carbon Sheet Steel 3,1; 65-71

X-Ray Diffraction

Effect of Heat Treatment on the Microstructure of a Metastable β-Titanium Alloy 3,4; 560-566

X-Ray Diffraction Analysis

Glass Film Structure of Grain-Oriented Silicon Steel Using Aluminum Nitride as an Inhibitor 3,2; 214-217

X-Ray Rocking Curves

The Effect of Hole Drilling on Fatigue and Residual Stress Properties of Shot-Peened Aluminum Panels 3,6; 726-733

Zirconia

Biaxial Gas-Pressure Forming of a Superplastic Al_2O_3/YTZP 3,4; 496-500

Volume 3 Title Index 1994

77 to 1200 K Tensile Properties of Several Wrought Superalloys after Long-Term 1093 K Heat Treatment in Air and Vacuum 3,1; 91-103

A Kinetics Formulation for Low-Temperature Plasticity 3,1; 169-177

A Novel System to Study Wear, Friction, and Lubricants 3,4; 527-539

A Study of Impact Toughness of Fe-Cr-*X* Damping Alloys 3,3; 409-411

Accumulation of Microstructural Damage Due to Fatigue of High-Strength Aluminum Alloys 3,1; 47-54

An Investigation of Pore Cracking in Titanium Welds 3,1; 21-36
3,3; 419-434

Application of Amorphous Brush-Plated Coatings to Hot Work Dies 3,1; 145-150

Biaxial Gas-Pressure Forming of a Superplastic Al_2O_3/YTZP 3,4; 496-500

Comparative Study of Cooling Curves with JIS Silver Specimens and Alloy 600 Specimens in Relation to Additive Effectiveness 3,3; 367-370

Comparison of Corrosion-Fatigue Properties of Precorroded 6013 Bare and 2024 Bare Aluminum Alloy Sheet Materials 3,3; 371-377

Concerning Sigma-Phase in Molybdenum-Rhenium Alloys 3,2; 282-291

Damage Tolerance of Wrought Alloy 718 Ni-Fe-Base Superalloy 3,3; 356-366

Effect of Antimony Addition in Bi(Pb)-Sr-Ca-Cu-O on Superconductivity 3,5; 591-595

Effect of Elongated Graphite on Mechanical Properties of Hot-Rolled Ductile Iron 3,5; 657-663

Effect of Heat Treatment on the Microstructure of a Metastable β-Titanium Alloy 3,4; 560-566

Effect of Initial Texture on Secondary Recrystallization of Grain-Oriented Electrical Steel 3,2; 223-227

Effect of Nitrogen Alloying on the Microstructure and Abrasive Wear of Stainless Steels 3,2; 259-272

Effect of Processing Parameters on the Earing and Mechanical Properties of Strip Cast Type 3004 Al Alloy 3,1; 123-134

Effect of Reduction Ratio on the Machinability of a Medium Carbon Microalloyed Steel 3,4; 484-489

Effect of Strain Aging on the Strength Coefficient and Strain-Hardening Exponent of Construction-Grade Steels 3,3; 344-349

Failure Analysis of Beta-C Titanium Alloy High-Pressure Vessels 3,1; 105-109

Fatigue Crack Growth Behavior of a New Single Crystal Nickel-Based Superalloy (CMSX-4) at 650 °C 3,4; 540-550

Finite Element Modeling of Segmental Chip Formation in High-Speed Orthogonal Cutting 3,6: 712-721

Forming and Fractographical Characteristics of Copper-Nickel-Beryllium Sheets Under Tension and Bending 3,5; 619-634

Forming Characteristics of Coarse and Fine-Grained AA 2024 Aluminum Alloy Sheet 3,1; 115-121

Glass Film Structure of Grain-Oriented Silicon Steel Using Aluminum Nitride as an Inhibitor 3,2; 214-217

High-Current Metal Ion Implantation for Industrial Applications 3,5; 587-590

High-Energy NdFeB Magnets and Their Applications 3,2; 218-222

Hysteretic Behavior in an Fe-Cr-Ni-Mn-Si Polycrystalline Shape Memory Alloy During Thermomechanical Cyclic Loading 3,1; 135-143

Impact Properties of A356-T6 Alloys 3,1; 83-90

In Vitro Electrochemical Investigations of Advanced Stainless Steels for Applications as Orthopaedic Implants 3,6: 744-753

Influence of Microstructure on the Premature Failure of a Second-Intermediate Sendzimir Mill Drive Roll 3,5; 649-656

Influence of Nickel and Molybdenum on the Phase Stability and Mechanical Properties of Maraging Steels 3,2; 248-254

Influence of Post-Superplastic Forming Practices on the Tensile Properties of Aluminum-Lithium Alloys 3,3; 334-343

Instability and Flow Localization During Compression of a Flow Softening Material 3,4; 514-526

Intelligent Recognition of Drill Wear States 3,4; 490-495

Intermediate Shapes in Closed-Die Forging by the Backward Deformation Optimization Method (BDOM) 3,4; 501-513

Investigation of Fatigue Failure of a Stainless Steel Orthopedic Implant Device 3,1; 111-113

Isothermal Oxidation of Physical Vapor Deposited Partially Stabilized Zirconia Thermal Barrier Coatings 3,1; 55-60

Large-Scale Production and Quality Assurance of Hydrogen Storage (Battery) Alloys 3,1; 37-46

Low-Cost, High-Speed Domain Refinement without Damage to Insulative Coatings 3,2; 209-213

Mechanical Properties of Haynes Alloy 188 after 22,500 Hours of Exposure to LiF-22CaF_2 and Vacuum at 1093 K 3,6: 754-762

Mechanism of Improved Corrosion Resistance of Type 304L Stainless Steel, Nitric Acid Grade, in Nitric Acid Environments 3,6: 699-705

Microstructural and Aqueous Corrosion Aspects of Laser-Surface-Melted Type 304 SS Plasma-Coated Mild Steel 3,3; 412-418

Microstructural Effects on Formability of Type 304 Stainless Steel Sheet in Cylindrical Deep Drawing 3,4; 551-559

Microstructures and Magnetic Properties of Heatproof Domain-Refined Grain-Oriented Silicon Steel Sheets 3,6: 706-711

Microstructures and Mechanical Properties of Welded Fe-12Cr-20Mn Austenitic Stainless Steel 3,5; 606-611

Mirror Surface Grinding for Brittle Materials with In-Process Electrolytic Dressing 3,1; 159-167

Near Surface Microstructures Developing under Large Sliding Loads 3,4; 459-475

Novel Techniques for Selective Diamond Growth on Various Substrates 3,3; 378-385

On the Closed Form Mechanistic Modeling of Milling: Specific Cutting Energy, Torque, and Power 3,1; 151-158

On the Effects of Predeformation on Work Hardening of Ultra-Low-Carbon Sheet Steel 3,1; 65-71

Optothermal Study of Hydrogenated Amorphous Silicon-Sulfur Alloys 3,2; 255-258

Plasma Spraying of High-Nitrogen-Bearing Steels for Wear-Resistant Coatings and Structural Applications 3,4; 476-483

Postweld Electrotransport Treatment 3,5; 612-618

Prevention of Hydrogen Degradation in Titanium by Deposition of TiN Thin Film 3,6: 740-743

Reaction Layer Characterization of the Braze Joint of Silicon Nitride to Stainless Steel 3,5; 596-605

Recent Developments of High-Performance NEOMAX Magnets 3,2; 228-233

Reclamation and Additional Alloying of 18Ni(350) Maraging Steel 3,3; 386-392

Reheat Response and Accelerated Cooling of a Microalloyed Steel with an Air/Water Atomizer: Effect on Microstructure and Mechanical Properties 3,2; 234-247

Reproducibility of Small-Strain Creep Tests of Ti 6242Si 3,6: 722-725

Research Study Demonstrates Computer Simulation Can Predict Warpage and Assist in Its Elimination 3,5; 635-638

Residual Stress Measurements in Bevel Gear after Different Production Phases 3,1; 61-64

Review and Application of Closed-Loop Systems in Flow-Induced Corrosion 3,3; 393-402

Rheological Characterization of Feedstocks for Metal Injection Molding 3,2; 300-306

Simulation of Deep Penetration Welding of Stainless Steel Using Geometric Constraints Based on Experimental Information 3,5; 639-648

Simultaneous Ultrasonic Evaluation with Differentiation of Stress and Texture 3,2; 273-281

Strengthening of a 12CrMoV Turbine Blade Steel by Retempering 3,3; 350-355

Tensile Behavior of a New Single Crystal Nickel-Based Superalloy (CMSX-4) at Room and Elevated Temperatures 3,1; 73-81
3,5; 664-672

Tensile Properties of Haynes Alloy 230 and Inconel 617 after Long Exposures to LiF-22CaF$_2$ and Vacuum at 1093 K 3,6: 763-774

The Chloride Stress-Corrosion Cracking Behavior of Stainless Steels under Different Test Methods 3,6: 734-739

The Effect of Hole Drilling on Fatigue and Residual Stress Properties of Shot-Peened Aluminum Panels 3,6: 726-733

The Effect of the Rolling Mode on the Recrystallization Behavior of 2090 Al-Li Alloy 3,2; 292-299

Thermal Degradation of Foamed Polymethyl Methacrylate in the Expendable Pattern Casting Process 3,3; 329-333

Wear Resistance of Ductile Irons 3,3; 403-408

Volume 3 Author Index 1994

Ahmed, M. 3,2; 248-254
3,3; 386-392
Ahmed, Z. 3,3; 393-402
Akhtar, B. 3,5; 591-595
Al-Alawi, S.M. 3,2; 255-258
Alberts, F.E. 3,1; 73-81
3,5; 664-672
Aleem B.J., Abdul 3,3; 393-402
Archilla, R. 3,2; 292-299
Asada, S. 3,3; 367-370
Aswath, P.B. 3,2; 234-247
Au, P. 3,3; 356-366
Balogh, M. 3,4; 540-550
Bartosiewicz, L. 3,1; 73-81
3,5; 664-672
Batra, I.S. 3,3; 350-355
Bayoumi, A.E. 3,1; 151-158
Beckley, P. 3,2; 209-213
Bhattacharya, D. 3,4; 484-489
Bi, H. 3,3; 409-411
Biederman, R.R. 3,1; 55-60
Bohley, M. 3,4; 476-483
Bryskin, B.D. 3,2; 282-291
Carlen, J.-C. 3,2; 282-291
Chang, J.-S. 3,4; 551-559
Chang, M. 3,3; 356-366
Chaudhuri, J. 3,3; 371-377
3,6; 726-733
Chen, T.-M. 3,6; 740-743
Chen, T.C. 3,5; 619-634
Chen, W.Y. 3,4; 490-495
Chou, P.C. 3,6; 712-721
Chou, S.-S. 3,4; 551-559
Crosby, K.E. 3,1; 65-71
Cuddy, J. 3,4; 560-566
Dasgupta, P. 3,3; 350-355
David, S.A. 3,5; 612-618
Dawson, D.B. 3,4; 459-475
Dayal, R.K. 3,3; 412-418
Delos-Reyes, M.A. 3,6; 722-725
Dey, G.K. 3,3; 350-355
Ding,X.J. 3,5; 587-590
Dixon, R. 3,5; 639-648
Donley, B.S. 3,6; 726-733
Dorward, R.C. 3,1; 115-121
Eldridge, I.J. 3,5; 606-611
Es-Said, O.S. 3,1; 123-134
3,2; 292-299
Feng, G.J. 3,1; 105-109
Fisher, F. 3,2; 292-299
Friedrich, B. 3,1; 37-46
Fujii, H. 3,2; 214-217
Fukuhara, K. 3,3; 367-370
Gadiyar, H.S. 3,6; 699-705
Gerusky, M.T. 3,1; 105-109
Glozer, G. 3,5; 635-638
Goel, N. 3,4; 560-566
Gondhalekar, V. 3,3; 371-377
3,6; 726-733
Grandhi, R.V. 3,4; 501-513
Gressel, S.H. 3,2; 300-306
Hales, S.J. 3,3; 334-343
Hangas, J. 3,1; 73-81
3,5; 664-672
Harase, J. 3,2; 223-227
Hashemi, J. 3,6; 712-721
Hashmi, F.H. 3,3; 386-392
Hawk, J.A. 3,2; 259-272
Hayashi, T. 3,1; 135-143

Hirose, K. 3,6; 706-711
Ho, W.-Y. 3,6; 740-743
Honshima, M. 3,2; 218-222
Huang, X. 3,4; 560-566
Hughes, D.A. 3,4; 459-475
Hughes, L.J. 3,2; 300-306
Hussain, S.W. 3,2; 248-254
3,3; 386-392
Hutton, D.V. 3,1; 151-158
Indacochea, J.E. 3,5; 596-605
Ishigaki, N. 3,2; 228-233
Ishii, K. 3,5; 635-638
Iwanaga, I. 3,2; 223-227
Iwayama, K. 3,2; 223-227
Jen, K.P. 3,5; 619-634
Jin, L.-Z. 3,6; 734-739
Johansen, D. 3,1; 123-134
3,2; 292-299
Jokiel, P. 3,4; 476-483
Kain, V. 3,6; 699-705
Kamachi Mudali, U. 3,1; 111-113
3,6; 744-753
Kaneko, Y. 3,2; 228-233
Kassner, M.E. 3,6; 722-725
Keller, C. 3,1; 83-90
Khaled, T. 3,1; 21-36
3,3; 419-434
Khan, A.Q. 3,3; 386-392
Khankan, N. 3,2; 292-299
Khatri, S. 3,4; 476-483
Kim, J.-D. 3,1; 159-167
Kishore, R. 3,3; 350-355
Ko, E.J. 3,4; 490-495
Kobayashi, H. 3,2; 214-217
Korellis, J.S. 3,4; 459-475
Korzekwa, D. 3,5; 639-648
Kosuge, K. 3,6; 706-711
Koul, A.K. 3,3; 356-366
Kovac, M. 3,1; 61-64
Krausz, A.S. 3,1; 169-177
Kumar, S.S. 3,4; 501-513
Kuroki, K. 3,6; 706-711
Lambrakos, S.G. 3,5; 639-648
Lee, S.-C. 3,6; 740-743
Lee, Y.-J. 3,1; 159-167
Lerner, Y.S. 3,3; 403-408
Lewis, G. 3,5; 639-648
Lin, W.L. 3,5; 587-590
Lippard, H.E. 3,3; 334-343
Liu, T.I. 3,4; 490-495
Liu, X. 3,3; 409-411
Lou, S. 3,3; 344-349
Lu, J.S. 3,3; 409-411
Luévano, A.J. 3,1; 47-54
Lugscheider, E. 3,4; 476-483
Maamouri, M. 3,4; 527-539
Maqsood, A. 3,5; 591-595
Marchand, N.J. 3,4; 527-539
Masson, J.F. 3,4; 527-539
Masui, H. 3,2; 214-217
3,2; 223-227
Mehta, S. 3,3; 329-333
Metzbower, E.A. 3,5; 639-648
Milewski, J. 3,5; 639-648
Mirshams, R.A. 3,1; 65-71
Mishra, B. 3,5; 612-618
Mishra, S. 3,5; 649-656
Mohamadian, H.P. 3,1; 65-71
Morrison, D.J. 3,5; 606-611
Mukherjee, D. 3,5; 649-656
Nagashima, T. 3,2; 214-217
Nailos, P.J. 3,1; 73-81
3,5; 664-672
Nasim, I. 3,2; 248-254
3,3; 386-392
Nieh, T.G. 3,4; 496-500
Nishimura, F. 3,1; 135-143
Northwood, D.O. 3,3; 344-349
O'Brien, M. 3,1; 123-134
Ochiai, T. 3,5; 619-634
Ohashi, K. 3,2; 218-222
Olson, D.L. 3,5; 612-618
Patni, K.M. 3,3; 371-377
3,6; 726-733
Pejavar, S.R. 3,2; 234-247
Peputapeck, M. 3,1; 73-81
3,5; 664-672
Petel, H. 3,2; 292-299
Post, S. 3,5; 635-638
Przystupa, M.A. 3,1; 47-54
Pujar, M.G. 3,3; 412-418
Putatunda, S.K. 3,1; 73-81
3,4; 540-550
3,5; 664-672
Quattrocchi, J. 3,1; 123-134
3,2; 292-299
Raizk, D. 3,2; 292-299
Rajabi, M. 3,2; 292-299
Rajeswari, S. 3,1; 111-113
3,6; 744-753
Rawers, J.C. 3,2; 259-272
Ray, A. 3,5; 649-656
Reddy, G.H.K. 3,4; 501-513
Richards, N.L. 3,4; 560-566
Rossi, J.D. 3,1; 105-109
Ruhl, D. 3,1; 123-134
3,2; 292-299
Ruprich, M. 3,1; 123-134
Salam, I. 3,3; 386-392
Sang, J.M. 3,5; 587-590
Sarkar. B. 3,5; 649-656
Sengupta, A. 3,1; 73-81
3,4; 540-550
3,5; 664-672
Shi, J. 3,5; 657-663
Shin, K.H. 3,1; 123-134
Shinde, S.S. 3,6; 699-705
Shiozaki, M. 3,2; 214-217
Shivkumar, S. 3,1; 83-90
3,3; 329-333
Siddiqi, S.A. 3,5; 591-595
Simmons, J.W. 3,2; 259-272
Singh Raman, R.K. 3,3; 412-418
Singh, J. 3,3; 378-385
Singh, R.N. 3,3; 350-355
Sisson, Jr., R.D. 3,1; 55-60
Sivakumar, M. 3,1; 111-113
3,6; 744-753
Smith, J.F. 3,2; 273-281
Smith, R. 3,4; 476-483
Smith, R.W. 3,5; 657-663
Snell, D. 3,2; 209-213
Sohn, Y.H. 3,1; 55-60
Srinivasan, R. 3,4; 501-513
3,4; 514-526
Takahasi, N. 3,2; 223-227
Tamura, I. 3,3; 367-370
Tan, Y.M. 3,3; 371-377
Tanaka, K. 3,1; 135-143
Terada, T. 3,3; 356-366
Thirukkonda, M. 3,4; 514-526
Thomas, M. 3,1; 123-134
Thompson, R.B. 3,2; 273-281
Tijoe, W.H. 3,1; 123-134
Tobushi, H. 3,1; 135-143
Too, J.J.M. 3,5; 657-663
Tseng, A.A. 3,5; 619-634
3,6; 712-721
Ventura, C. 3,2; 292-299
Wadsworth, J. 3,4; 496-500
Wang, G. 3,3; 409-411
Wang, L. 3,1; 83-90
Weingarten, L.I. 3,4; 459-475
Weiss, I. 3,4; 514-526
Whittenberger, J.D. 3,1; 91-103
3,6; 754-762
3,6; 763-774
Wright, M. 3,2; 300-306
Wu, B. 3,3; 409-411
Wu, X.J. 3,1; 169-177
Xu, J. 3,5; 587-590
Xu, R. 3,5; 596-605
Yücesan, G. 3,1; 151-158
Yamazaki, S. 3,2; 214-217
Yuan, X.M. 3,5; 587-590
Zakharia, K. 3,2; 292-299
Zeihen, A. 3,1; 123-134
Zhang, J. 3,1; 47-54
Zheng, M. 3,1; 145-150
Zheng, W. 3,3; 409-411
Zheng, Z. 3,1; 145-150
Zhu, Y. 3,1; 145-150
Zou, S. 3,5; 657-663